



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/773,197	01/31/2001	Leland James Wieschuegel	AUS920000945US1	4475
45993	7590	10/07/2004	EXAMINER	
IBM CORPORATION (RHF) C/O ROBERT H. FRANTZ P. O. BOX 23324 OKLAHOMA CITY, OK 73123			NICHOLSON, ERIC K	
			ART UNIT	PAPER NUMBER
			3679	

DATE MAILED: 10/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/773,197

Applicant(s)


WIESEHUEGEL ET AL.

Examiner

Eric K Nicholson

Art Unit

3679



-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 July 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

In view of the brief filed on, PROSECUTION IS HEREBY REOPENED. A new rejection of claims 1-15 is set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

- (1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,
- (2) request reinstatement of the appeal.

If reinstatement of the appeal is requested, such request must be accompanied by a supplemental appeal brief, but no new amendments, affidavits (37 CFR 1.130, 1.131 or 1.132) or other evidence are permitted. See 37 CFR 1.193(b)(2). Further, should applicant request reinstatement of the appeal the following items in the appeal should be corrected. In the Summary of the Invention applicant must point out the page and line numbers of the features described. The supplemental brief filed July 16, 2004 should be corrected to read "Supplemental Appeal Brief" and further the "Supplemental Appeal Brief" or any other filed "Supplemental Appeal Brief" must be properly signed.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, line 6 and claim 6, line 7, “part numbers” lacks proper antecedent basis since in the previous line applicant presents a range of “part numbers or market identifiers” and the reference to just “part numbers” in line 6 of claim 1 and line 7 of claim 6 renders the scope of the claim indefinite as to whether the items are indexed to part numbers or market identifiers.

Claim Rejections – 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-15 are rejected under 35 U.S.C. § 102(e) as being anticipated by U.S. patent application publication 2003/0009392 to Perkowski. The Perkowski publication '392 discloses a method, system and code for providing electronic catalogs of information sets regarding available products for bid or purchase through an online auction or bidding system as set forth for example in paragraph 0054:

Another object of the present invention is to provide such an Internet-based consumer Product information collection, managing and delivery system and method, wherein CPIR-enabling Applets are created by the system administrator, loaded within the UPN/TM/PD/URL database management subsystem thereof, distributed to retailers, wholesalers, manufacturers, advertisers and others for embedding within HTML-encoded documents associated with EC-enabled stores, catalogs, Internet-based product advertisements, on-line auction sites, and other locations on the WWW where accurate consumer product related information is desired or required without leaving the point of presence on the WWW at which the consumer resides.

Or paragraph 0056:

Another object of the present invention is to provide such an Internet-based consumer product information collection, managing and delivery system and method, wherein the consumer initiating the execution of a particular CPIR-enabling Applet may be anyone desiring or requiring consumer

product related information while interacting with the communication medium provided by the Internet and its supported technologies (e.g. WWW, EC, etc.). As such, the consumer may be a student shopping at an EC-enabled (business-to-consumer) retail store for textbooks, a retail purchasing agent shopping at an on-line (business-to-business) wholesale product catalog for product inventory, a dealer looking to purchase a new or used product listed at an on-line auction site, or anyone encountering an Internet-based advertisement while surfing the WWW.

The Perkowski publication '392 further discloses providing at least two repositories of information sets and data items indexed to product part numbers or market identifiers as set forth for example in paragraphs 0028, 0029 and 0031

Another object of the present invention is to provide such a system, wherein a predesignated information resource pertaining to any commercial product having been assigned a Universal Product Number (UPN) can be accessed from the Internet and displayed from the Internet browser by simply selecting and then entering the UPN numeric string into an Input Box which pops up on an HTML form displayed by an Internet browser.

Another object of the present invention is to provide such a system in which a relational database, referred to as an Internet Product Directory (IPD), is realized on one or more data-synchronized IPD Servers for the purpose of registering product related information, namely: (i) information representative of commercial product descriptions, the trademarks used in connection therewith, the company names providing and/or promoting such products, the E-mail addresses of such companies, and the corresponding URLs on the Internet specifying current (i.e. up-to-date) Internet Web-site locations providing product-related information customized to such products.

A further object of the present invention is to provide an Internet-based System wherein: (1) manufacturers and their agents are enabled to simply link (i.e. relate), manage and update within a centralized database, the UPC (and/or UPC/EAN) numbers on their products and the Uniform Resource Locators (URLs) of HTTP-encoded document (i.e. Web pages) containing particular kinds of consumer product-related information published on the Internet by the manufacturers, their agents and/or third parties; and (2) consumers, in retail stores, at home, in the office and on the road, are enabled to simply access such consumer product-related information using such UPC (and/or UPC/EAN) numbers and/or by scanning UPC (or UPC/EAN) bar code symbols encoded with such product identification numbers.

The Perkowski publication '392 further discloses; dynamically linking said information sets and data items to part numbers for available products; as set forth for example in paragraphs 0496 and 506 which states:

Notably, each information item contained within the information field shown along the same horizontal line of FIG. 4A1 is symbolically related or linked. Different products of the same registrant or related registrant may also be linked together so that a user looking for information about a particular product is automatically provided with URLs which are assigned to related products of the registrant which may satisfy the goals or objectives of a particular advertising and/or marketing campaign or product promotion program of the registrant company. As it may be desired to relate particular products at particular points in time, the relationships therebetween can be dynamically changed within the IPI Registrant Database by a straightforward database updating operation carried out by a system administrator (or manager) who, in theory, can be located virtually anywhere throughout the world. Expectedly, such database updating operations would be carried out using appropriate system access and security procedures well known in the art.

Preferably, the manufacturer, its marketing personnel and advertising agents will actively participate in the creation of the product related information resources, as well as the placement of their URLs into the above-defined (or like) URL categories maintained within the Database of the IPI Finding and Serving Subsystem hereof. Also, using the Manufacturer/Product Registration Subsystem hereof, manufacturers and/or their agents can easily link their UPNs (e.g. UPC and/or EANs) with such URLs and manage the same in a dynamic manner to ensure that product related information on the Internet is accurately linked to the UPNs of the manufacturer s products. Through such active participation, the business objectives of any particular manufacturer or retailer can be promoted by way of the IPI Finding and Serving Subsystem of the present invention. In this way, the information-requesting consumer is provided with only the kinds of product-related information which he or she seeks.

Art Unit: 3679

The Perkowski publication '392 further discloses upon request by a trader, synchronizing contents of a Sales Preparation System with said two or more repositories such that all information sets and data items within all repositories represent full information sets of most recently created data items, including the contents of said Sales Preparation System as set forth for example in paragraphs 0055, 0496, 0514, 0437, 0839 and 0840

[0055] Another object of the present invention is to provide such an Internet-based consumer product information collection, managing and delivery system and method, wherein CPIR-enabling Applets are created, distributed, embedded within a HTML-encoded document related to a particular consumer product, and subsequently executed by a consumer so as to access and display a manufacturer-defined menu (i.e. list) of categorized URLs pointing to product-related Web-documents.

[0496] Notably, each information item contained within the information field shown along the same horizontal line of FIG. 4A1 is symbolically related or linked. Different products of the same registrant or related registrant may also be linked together so that a user looking for information about a particular product is automatically provided with URLs which are assigned to related products of the registrant which may satisfy the goals or objectives of a particular advertising and/or marketing campaign or product promotion program of the registrant company. As it may be desired to relate particular products at particular points in time, the relationships therebetween can be dynamically changed within the IPI Registrant Database by a straightforward database updating operation carried out by a system administrator (or manager) who, in theory, can be located virtually anywhere throughout the world. Expectedly, such database updating operations would be carried out using appropriate system access and security procedures well known in the art.

[0514] Once an initial IPI Registrant Database has been constructed using any one or more of the four database construction techniques described hereinabove, manufacturers registered therewith can be periodically contacted using Web-based electronic document (i.e. message) transfer techniques in order to request updating and confirmation of the UPN/TM/PD/URL listings contained

within the database of the IPI subsystem of the present invention.

[0437] As shown in FIGS. 2-1 and 2-2, each synchronized IPD Server 11 is interfaced with an ISP 10A in a conventional manner. The actual number of IPD Servers 11 used in any particular application will depend on various factors including, for example, user demand, Internet traffic conditions, network router capacity and performance, etc. Each such IPD Server 11 is assigned a static IP address and a common domain name on the Internet according to the Domain Name System (DNS) well known in the art. Data synchronization among such databases can be achieved using conventional data synchronization techniques well known in the art. In addition, a backup and mirroring program can be used to maintain data security. Preferably, the synchronized IPD Servers are maintained by a team of network managers under the supervision of one or more webmasters.

[0839] In this novel subnetwork arrangement within the manufacturer's enterprise, shown in FIG. 2C2, the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 and/or the consumer product information catalog database management subsystem 450 are initialized by importing UPC numbers, trademarks and product-descriptors from the manufacturer's locally-maintained UPC-indexed product sales catalog 460 deployed within the manufacturer's enterprise. According to the aspect of the present invention shown in FIG. 2C2, the conventional UPC-indexed product sales catalog 460 would function as the "master" UPC catalog source within the manufacturer's enterprise, while the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 and the consumer product information catalog database management subsystem 450 would function as "slave" UPC catalog sources within the enterprise, data-synchronized to the master UPC catalog source 460.

[0840] In accordance with this method of the present invention, the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 (as well as the consumer product information catalog database management subsystem 450) are programmed to automatically (i) access the conventional UPC-Indexed product sales catalog 460 on periodic (e.g. daily) basis and (ii) import up-to-date (i.e. current) UPC numbers, trademarks and product-descriptors that are being used by the manufacturer within its UPC product sales catalog 460 for enabling B-2-B e-commerce transactions with its retail trading partners. Such

data-synchronization operations can be carried in a fully automatic programmed manner over the Internet or particular VAN, regardless of where the manufacturer's EDI-enabled UPN/TM/PD/URL 203 and UPC-indexed product sales catalog 460 resides on the network. Using these imported UPC numbers, trademarks and product-descriptors, through the above-described database-initialization and data-synchronization techniques of the present invention, the manufacturer's brand managers, product managers, advertising agents and support personnel can manage UPN/TM/PD/URL data links within the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 and transport the same to the central UPN/TM/PD/URL RDBMS 9 shown in FIG. 2C, in cooperation with pre-existing EDI-based B-2-B e-commerce support operations. Alternatively, using a less preferred method, manufacturer's brand managers, product managers, advertising agents and support personnel can manage UPN/trademark-indexed CPI data files within the manufacturer's consumer product information catalog database management subsystem 450 and transport the same to central UPN-indexed Data warehouse 470 shown in FIG. 2C, in accordance the principles of the present invention.

The Perkowski publication '392 further discloses promoting the synchronized Sales Preparation System contents to an online auction system responsive to authorization of said trader as set forth for example in the Abstract and paragraphs 0787, 0091,1005

A third subsystem enables manufacturers and their advertising and marketing agents to access one or more UPN-indexed IRFs in the central RDBMS to display consumer product advertisements to consumers, at or near the point of purchase or sale within both physical and/or electronic retail shopping environments so as to project the desired brand image to consumers. A fourth subsystem enables retailers and their marketing and promotional agents to access one or more UPN-indexed IRFs in the central RDBMS, to promote consumer products to consumers, at or near the point of purchase or sale within both physical and/or electronic retail shopping environments so as to promote the sale of such products in inventory.

0787] Referring to FIGS. 4Q1 through 4Q2, the above-described method of CPI display is illustrated in the context of a consumer visiting an on-line

EC-enabled auction site (e.g. at <http://www.ebay.com>), and considering whether or not to place a bid on a particular consumer product displayed within the auction listings thereof. In general, this environment is similar to the situation where a consumer finds him/herself searching for consumer product information at a WWW Search Directory or Engine, such as Yahoo, Excite, Alta Vista, Lycos, etc. In such an environment, it will be desirable for the consumer to search against all manufacturers within the entire UPN/TM/PD/URL RDBMS 9 before returning the search results to the consumer for display.

Therefore, in this sort of Cyberspace environment, it will be oftentimes desirable to embed a CPIR-enabling Applet in the home-page of the WWW on-line auction site so that, upon clicking the graphical icon thereof, an independent Java GUI to the BRANDKEY REQUEST CENTRAL.TM. WWW site will be automatically

produced so that all modes of searching are made available to the consumer against all manufacturers registered (and possibly unregistered) within the UPN/TM/PD/URL RDBMS 9, as shown in FIG. 4Q2. Notably, this Java GUI is very similar to the Java GUI set forth in FIG. 3C.

[0091] Another object of the present invention is to provide a consumer product marketing, merchandising and education/information system which enables manufacturers, their agents, retailers and their agents, and consumers to carryout (i.e. perform) four (4) basic product-related functions along the retail supply and demand chain, namely: (1) enables manufacturer's marketing and brand managers to create a composite brand image for each consumer product being offered for sale in both physical and electronic marketplaces; (2) enables manufacturers and their advertising and marketing agents to display consumer product advertisements to consumers, at or near the point of purchase or sale within both physical and electronic retail shopping environments so as to project the desired brand image and positively influence product demand; (3) enables retailers and their marketing and promotional agents to promote consumer products with consumers within physical and electronic retail shopping environments in order to positively influence (i.e. reduce) the supply of such products in inventory and promote sales and profits; and (4) enables consumers to request and obtain reliable information about a manufacturer's consumer product in order to make informed/educated purchases along the demand side of the retail supply and demand chain, while enabling retailer purchasing agents to request and obtain reliable information about a manufacturer's consumer product in order to make informed/educated purchases along the supply side thereof in order to positively influence product demand.

Art Unit: 3679

[1005] In addition, novel data filtering operations are provided to generate kiosk-based advertising directories customized to each advertising and promotional agent registered with the system so that the directories list only CPI kiosks that have been effectively authorized by registered retailers as having been assigned particular manufacturer aisle/shelf rights/privileges in their physical and/or electronic retail stores.

The Perkowski publication '392 further discloses presenting the promoted contents to one or more online bidders via an online auction system as set forth for example in paragraphs 1181 and 0050

1181] At any instant in time, the former virtual CPI kiosk directory indicated at (i) above might reflect a particular marketing campaign or strategy to create a heightened awareness, in a targeted market segment/domain, concerning a particular product or brand of products within the manufacturer's (i.e. vendor's) portfolio. However, the latter virtual CPI kiosk directory indicated at (ii) above, will typically be intended for use by the general public and have an entirely different purpose in the eyes of the manufacturer, e.g. to create good will with the public, enable them to promote the resale or trading of their consumer products via on-line auctions where installing a virtual product-specific CPI kiosk would be most valuable to someone considering making a bid on a particular consumer product. For a host of good reasons, some manufacturers may wish to provide this revolutionary CPI service to members of the public (e.g. its customers) for free (i.e. no licensing fee due), while other manufacturers may desire to charge each member of the general public a small licensing fee for each such virtual CPI kiosk deployed and installed on the WWW.

[0050] Another object of the present invention is to provide a novel method of and system for accessing consumer product related information at points within HTML-encoded documents, at which Universal Product Number (UPN) encoded Java Applets are embedded so as to produce, when executed, a consumer product information display enabling (CPID-enabling) Java-based graphical user interfaces (GUIs) for the convenience of consumers shopping at electronic-commerce (EC) enabled stores, considering the placement of bids at on-line auction sites, or browsing product advertisements appearing on the World Wide Web.

As to claims 2,7 and 12 wherein the step of synchronizing is performed
on a periodic basis see paragraph 0840

[0840] In accordance with this method of the present invention, the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 (as well as the consumer product information catalog database management subsystem 450) are programmed to automatically (i) access the conventional UPC-Indexed product sales catalog 460 on periodic (e.g. daily) basis and (ii) import up-to-date (i.e. current) UPC numbers, trademarks and product-descriptors that are being used by the manufacturer within its UPC product sales catalog 460 for enabling B-2-B e-commerce transactions with its retail trading partners. Such data-synchronization operations can be carried in a fully automatic programmed manner over the Internet or particular VAN, regardless of where the manufacturer's EDI-enabled UPN/TM/PD/URL 203 and UPC-indexed product sales catalog 460 resides on the network. Using these imported UPC numbers, trademarks and product-descriptors, through the above-described database-initialization and data-synchronization techniques of the present invention, the manufacturer's brand managers, product managers, advertising agents and support personnel can manage UPN/TM/PD/URL data links within the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 and transport the same to the central UPN/TM/PD/URL RDBMS 9 shown in FIG. 2C, in cooperation with pre-existing EDI-based B-2-B e-commerce support operations. Alternatively, using a less preferred method, manufacturer's brand managers, product managers, advertising agents and support personnel can manage UPN/trademark-indexed CPI data files within the manufacturer's consumer product information catalog database management subsystem 450 and transport the same to central UPN-indexed Data warehouse 470 shown in FIG. 2C, in accordance the principles of the present invention.

As to claims 3,8 and 13 wherein the step of synchronizing is performed responsive to a request for the information sets in any of the repositories such as by being opened, displayed or edited see end of paragraph 0840.

[0840] In accordance with this method of the present invention, the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 (as well as the consumer product information catalog database management subsystem 450) are programmed to automatically (i) access the conventional UPC-Indexed product sales catalog 460 on periodic (e.g. daily) basis and (ii) import up-to-date (i.e. current) UPC numbers, trademarks and product-descriptors that are being used by the manufacturer within its UPC product sales catalog 460 for enabling B-2-B e-commerce transactions with its retail trading partners. Such data-synchronization operations can be carried in a fully automatic programmed manner over the Internet or particular VAN, regardless of where the manufacturer's EDI-enabled UPN/TM/PD/URL 203 and UPC-indexed product sales catalog 460 resides on the network. Using these imported UPC numbers, trademarks and product-descriptors, through the above-described database-initialization and data-synchronization techniques of the present invention, the manufacturer's brand managers, product managers, advertising agents and support personnel can manage UPN/TM/PD/URL data links within the manufacturer's EDI-enabled UPN/TM/PD/URL RDBMS 203 and transport the same to the central UPN/TM/PD/URL RDBMS 9 shown in FIG. 2C, in cooperation with pre-existing EDI-based B-2-B e-commerce support operations. Alternatively, using a less preferred method, manufacturer's brand managers, product managers, advertising agents and support personnel can manage UPN/trademark-indexed CPI data files within the manufacturer's consumer product information catalog database management subsystem 450 and transport the same to central UPN-indexed Data warehouse 470 shown in FIG. 2C, in accordance the principles of the present invention.

As to claims 4,9 and 14 wherein the step of providing a list to a user is viewed as a spreadsheet with text or numerical information and as noted on such information is dynamically linked see for example paragraphs 0047,0055,0824 and 0101

[0047] Another object of the present invention is to provide such a system and method, wherein as part of the consumer product registration process, the manufacturer (or retailer) is provided with UPN/TM/PD/URL link creation, management and transport software for maintaining a limited-version of the UPN/TM/PD/URL RDBMS which contains a list of categorized URLs for each UPC-encoded product that the manufacturer (i.e. vendor) sells.

[0055] Another object of the present invention is to provide such an Internet-based consumer product information collection, managing and delivery system and method, wherein CPIR-enabling Applets are created, distributed, embedded within a HTML-encoded document related to a particular consumer product, and subsequently executed by a consumer so as to access and display a manufacturer-defined menu (i.e. list) of categorized URLs pointing to product-related Web-documents.

[0824] In FIG. 2A, there is shown an alternative way of collecting and managing consumer product information along the consumer-product supply and demand chain. While the method of consumer product information collection and management shown in FIG. 2A is similar in many ways to the method shown in FIG. 2A, there are several important differences. For example, in the method of FIG. 2A, the manufacturer or its agent is still responsible for symbolically linking consumer product information resources to the UPN of its associated product, but there is no need for such information resources to be published on the WWW at the time of linking; all that is required is that the information resource file (IRF) associated with the product be symbolically linked or indexed to its UPN, and then for such linked information to be transported to the UPN/TM/PD/URL RDBMS 9A, realized as a data warehouse (i.e. RDBMS) supported upon a massively-parallel computing platform. Thereafter, each IRF in the data warehouse can be linked a URL specifying the location of the IRF within the

data warehouse, and all URLs associated with a particular product can be linked to its UPN. The IRFs can be classified by information type, as well, to facilitate searching by the consumer. According to this method, when a consumer enters the UPN of a particular product into http server of the UPN/TM/PD/URL RDBMS 9A, the http server associated therewith responds by serving (to the consumer) the list or menu of URLs symbolically linked to the UPN, for selection by the consumer.

[0101] Another object of the present invention is to provide an Internet-based consumer product marketing, merchandising and education/information system, wherein an Internet-Based Consumer Product Related Information Link Creation, Management and Transport System enables a manufacturer's marketing, brand and/or managers to create and manage a list of UPN/TM/PD/URL links for each consumer product within their product portfolio, using UPN/TM/PD/URL link management software of the present invention, which enables link lists to be stored within a locally managed UPN/TM/PD/URL link RDBMS, and electronically transported to a centrally-locally UPN/TM/PD/URL link RDBMS, from which such link lists are displayed in the form of a UPN/TM/PD/URL link display GUI.

As to claims 5, 10 and 15 which indicates that the

data can be statically linked which further indicates the step of saving a
copy of an information set linked such that the saved copy is statically
linked to the most recently created data items see paragraphs

0476,0101, and 0093

[0476] During operation of the IPI Finding and Serving Subsystem 2 hereof within a retail shopping environment, the consumer having accessed and displayed a consumer product related Web document on a bar code driven consumer product information kiosk as shown, for example, in FIGS. 3A2 through 3A8, may also desire to retain a copy thereof for future reference and use. In such instances, it would desirable to provide the bar code driven information kiosk 13 with a thermal or like printer so that consumers can printout accessed product related information within the retail-shopping environment and take the

same home for future review and evaluation. However, from the retailer's point of view, providing each such CPI kiosk with a printer may be too costly to maintain in typical retail environments. Thus, there is a great need for an improved method of and system for making consumer copies of consumer product information that has been accessed and displayed on bar code driven consumer product information kiosks within retail shopping environments.

[0101] Another object of the present invention is to provide an Internet-based consumer product marketing, merchandising and education/information system, wherein an Internet-Based Consumer Product Related Information Link Creation, Management and Transport System enables a manufacturer's marketing, brand and/or managers to create and manage a list of UPN/TM/PD/URL links for each consumer product within their product portfolio, using UPN/TM/PD/URL link management software of the present invention, which enables link lists to be stored within a locally managed UPN/TM/PD/URL link RDBMS, and electronically transported to a centrally-locally UPN/TM/PD/URL link RDBMS, from which such link lists are displayed in the form of a UPN/TM/PD/URL link display GUI.

[0093] Another object of the present invention is to provide such an Internet-based consumer product marketing, merchandising and education/information system comprising a plurality of Web (http) information servers, wherein each physical CPI kiosk has a statically assigned IP address and an assigned domain name, and is assigned preferably to a single physical CPI kiosk installed in a retailer's store and graphically displaying a retailer-oriented WWW site at the assigned domain.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric Nicholson whose telephone number is (703) 308-0829. The examiner can normally be reached on Tuesdays thru Fridays from 7:30 to 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola, can be reached on (703) 308-2686. The fax phone number for Technology Center 3600 is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center receptionist whose telephone number is (703) 308-1113.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll free).

ekn
9/28/04


Eric K. Nicholson
Primary Examiner
Technology Center 3600